

Regina Low Bright T8













DIMENSIONS


(Wood Ceiling)







(Surface)



LINE DRAWING



Specifications and dimension subject to change without notice

INTENDED USE

The Regina Low Bright series of luminaries is suitable for general offices & VDU workstation areas. Louver material is specular cambered shaped (V).

Ideal for retail, educational and commercial applications requiring lighting load as low as 2 watts/square meter/ 100 lux. 2'x4', 2'x2', 1'x4' and 1'x2' Imperial and Metric sizes available to meet most general illumination layouts.

CONSTRUCTION AND OPTICS

Familiar industrial most widely used design for ease of installation to secure fixture to T-bar system with latch system hinged louver frame enable louver frame to hinged down and swing. Housing formed of high quality guage sheet steel. Going through five-stage iron-phosphate pre-treatment ensures superior paint adhesion and rust resistance. Housing painted after fabrication with environmentally freindly, high-gloss, very high reflectivity epoxy powder- coat. High reflectivity mirror reflector achieved with anodized aluminium efficiently directs light downward. Louver cut-out and maximizes sheilding even in shallow plenum applications and softens light distribution to deliver a balance amount of light to both vertical and horizontal surfaces.



DIMENSION OF FITTING

Imperial / T-Bar (2 TUBE)

Model	L mm	L1 mm	W mm	H mm	
REG07VITS2220T8	612	600	298	85	
REG13VITS4240T8	1222	1210	298	85	
REG07VITN2220T8	612	600	605	85	
REG13VITN4240T8	1222	1210	605	85	

^{*} refer to T8LED tube catalogue for wattage & lumens

Surface (2 TUBE)

Model	L mm	W mm	H mm	
REG07VSS2220T8	612	298	85	
REG13VSS4240T8	1222	298	85	
REG07VSN2220T8	612	603	85	
REG13VSN4240T8	1222	603	85	

^{*} refer to T8LED tube catalogue for wattage & lumens

Wood Ceiling (2 TUBE)

Model	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm
REG07VWS2220T8	615	635	295	335	78	87
REG13VWS4240T8	1222	1245	295	335	78	87
REG07VWN2220T8	615	635	600	640	78	87
REG13VWN4240T8	1222	1245	600	640	78	87

^{*} refer to T8LED tube catalogue for wattage & lumens

Metric / T-Bar (2 TUBE)

Model		L mm	L1 mm	W mm	H mm	
REG07VM	TS2220T8	612	585	295	85	
REG13VM	TS4240T8	1222	1195	295	85	
REG07VM	TN2220T8	612	585	595	85	
REG13VM	TN4240T8	1222	1195	595	85	

^{*} refer to T8LED tube catalogue for wattage & lumens

Imperial / T-Bar (3 TUBE)

Model	L mm	L1 mm	W mm	H mm	
REG07VITN2320T8	612	600	298	85	
REG13VITN4340T8	1222	1210	605	85	

^{*} refer to T8LED tube catalogue for wattage & lumens

Surface (3 TUBE)

Model	L mm	W mm	H mm	
REG07VSN2320T8	612	603	85	
REG13VSN4340T8	1222	603	85	

^{*} refer to T8LED tube catalogue for wattage & lumens

Wood Ceiling (3 TUBE)

Model	L mm		W mm	W1 mm	H mm	
REG07VWN2320T8	615	635	295	335	78	87
REG13VWN4340T8	1222	1245	600	640	78	87

^{*} refer to T8LED tube catalogue for wattage & lumens

Metric / T-Bar (3 TUBE)

Model	L mm	L1 mm	W mm	H mm	
REG07VMTN2320T8	612	585	295	85	
REG13VMTN4340T8	1222	1195	595	85	

^{*} refer to T8LED tube catalogue for wattage & lumens





ORDERING INFORMATION	Lead times will vary based on options selected. Consult with your sales representative.	Example: REG07VITS2220T8

Туре	Louver	Louver Material	Size	Installation Type	Design	Reflector
Regina (REG)	07 7 Louver 13 13 Louver	V V Shaped	I Imperial M Metric	W Wood Ceiling T T-Bar S Surface	S2 Slim (1' x 2') S4 Slim (1' x 4') N2 Normal (2' x 2') N4 Normal (2' x 4')	Blank Full Mirror



DIMENSION OF FITTING

Imperial / T-Bar (4 TUBE)

Model	_	L1 mm	W mm	H mm	
REG07VITN2420T8	612	600	298	85	
REG13VITN4440T8	1222	1210	605	85	

^{*} refer to T8LED tube catalogue for wattage & lumens

Surface (4 TUBE)

Model	L mm	W mm	H mm	
REG07VSN2420T8	612	603	85	
REG13VSN4440T8	1222	603	85	

^{*} refer to T8LED tube catalogue for wattage & lumens

Wood Ceiling (4 TUBE)

Model	L mm		•••	W1 mm	• • • • • • • • • • • • • • • • • • • •	
REG07VWN2420T8	615	635	295	335	78	87
REG13VWN4440T8	1222	1245	600	640	78	87

^{*} refer to T8LED tube catalogue for wattage & lumens

Metric / T-Bar (4 TUBE)

Model	L mm	L1 mm	W mm	H mm	
REG07VMTN2420T8	612	585	295	85	
REG13VMTN4440T8	1222	1195	595	85	

^{*} refer to T8LED tube catalogue for wattage & lumens



ORDERING INFORMATION	Lead times will vary based on options selected. Consult with your sales representative.	Example: REG07VITS2220T8
ORDERING IN ORINATION	Lead lines will vary based on options selected. Solidar with your sales representative.	Example: I (LOO) VII OLLLOIO

Туре	Louver	Louver Material	Size	Installation Type	Design	Reflector
Regina (REG)	07 7 Louver 13 13 Louver	V V Shaped	I Imperial M Metric	W Wood Ceiling T T-Bar S Surface	S2 Slim (1' x 2') S4 Slim (1' x 4') N2 Normal (2' x 2') N4 Normal (2' x 4')	Blank Full Mirror



