




Quinces-P



LINE DRAWING



INTENDED USE

Surface mount box fitting with diffuser. Best used to light task area in normal height ceiling like walk way, corridors where no suspended ceiling is available, thus mounting is required on concrete surface or slab.

CONSTRUCTION AND OPTICS

Familiar industrial most widely used design for ease of installation by mounting to surface of concrete or slab. Come with latch system hinged diffuser frame enabling diffuser frame to hinge down and swing. Housing formed of high quality gauge sheet steel. Going through five-stage-iron-phosphate pre-treatment ensures superior paint adhesion and rust resistance. Housing painted after fabrication with environmentally friendly, high-gloss, very high reflectivity epoxy powder-coat. Option to have high reflectivity mirror reflector achieved with anodized aluminium efficiently directs light downward. Available with clear or opal acrylic diffuser or prismatic diffuser to provide even light distribution glare control and maximum light transmission, combined with a very low luminosity at angle approaching the horizontal surface. It is designed to minimize glare and maximize light output and visual comfort together with a good degree of protection.

DIMENSION OF FITTING

Wood Ceiling / Hinged Diffuser (1 / 2 TUBE)


Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm
QUSPWS2HOP114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS2HCA114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS2HAP114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS2HPP114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS4HOP128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS4HCA128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS4HAP128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS4HPP128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS2HOP214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS2HCA214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS2HAP214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS2HPP214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS4HOP228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4HCA228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4HAP228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4HPP228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4HOP254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWS4HCA254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWS4HAP254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWS4HPP254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWN2HOP214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN2HCA214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN2HAP214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN2HPP214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN4HOP228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4HCA228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4HAP228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4HPP228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4HOP254	QUSP254	2x54W	1222	1245	600	640	78	87
QUSPWN4HCA254	QUSP254	2x54W	1222	1245	600	640	78	87
QUSPWN4HAP254	QUSP254	2x54W	1222	1245	600	640	78	87
QUSPWN4HPP254	QUSP254	2x54W	1222	1245	600	640	78	87

Wood Ceiling / Slot Diffuser (1 / 2 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm
QUSPWS2SOP114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS2SCA114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS2SAP114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS2SPP114	QUSP114	1x14W	615	635	295	335	78	87
QUSPWS4SOP128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS4SCA128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS4SAP128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS4SPP128	QUSP128	1x28W	1222	1245	295	335	78	87
QUSPWS2SOP214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS2SCA214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS2SAP214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS2SPP214	QUSP214	2x14W	615	635	295	335	78	87
QUSPWS4SOP228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4SCA228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4SAP228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4SPP228	QUSP228	2x28W	1222	1245	295	335	78	87
QUSPWS4SOP254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWS4SCA254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWS4SAP254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWS4SPP254	QUSP254	2x54W	1222	1245	295	335	78	87
QUSPWN2SOP214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN2SCA214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN2SAP214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN2SPP214	QUSP214	2x14W	615	635	600	640	78	87
QUSPWN4SOP228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4SCA228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4SAP228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4SPP228	QUSP228	2x28W	1222	1245	600	640	78	87
QUSPWN4SOP254	QUSP254	2x54W	1222	1245	600	640	78	87
QUSPWN4SCA254	QUSP254	2x54W	1222	1245	600	640	78	87
QUSPWN4SAP254	QUSP254	2x54W	1222	1245	600	640	78	87
QUSPWN4SPP254	QUSP254	2x54W	1222	1245	600	640	78	87

DIMENSIONS

(Wood Ceiling)



ORDERING INFORMATION

Lead times will vary based on options selected. Consult with your sales representative.

Example: QUSPWN2HOP214

Type	Installation Type	Size	Design	Diffuser Mech	Diffuser Type
Quinness (QUSP)	W Wood Ceiling T T-Bar S Surface	I Imperial M Metric	S2 Slim (1' x 2') S4 Slim (1' x 4') N2 Normal (2' x 2') N4 Normal (2' x 4')	H Hinged S Slot	OP Opal CA Clear Acrylic AP AA Prismatic PP PS Prismatic



DIMENSION OF FITTING

Wood Ceiling / Hinged Diffuser (3 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm
QUSPWN2HOP314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN2HCA314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN2HAP314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN2HPP314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN4HOP328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4HCA328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4HAP328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4HPP328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4HOP354	QUSP354	3x54W	1222	1245	600	640	78	87
QUSPWN4HCA354	QUSP354	3x54W	1222	1245	600	640	78	87
QUSPWN4HAP354	QUSP354	3x54W	1222	1245	600	640	78	87
QUSPWN4HPP354	QUSP354	3x54W	1222	1245	600	640	78	87

Wood Ceiling / Hinged Diffuser (4 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm
QUSPWN2HOP414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN2HCA414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN2HAP414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN2HPP414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN4HOP428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4HCA428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4HAP428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4HPP428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4HOP454	QUSP454	4x54W	1222	1245	600	640	78	87
QUSPWN4HCA454	QUSP454	4x54W	1222	1245	600	640	78	87
QUSPWN4HAP454	QUSP454	4x54W	1222	1245	600	640	78	87
QUSPWN4HPP454	QUSP454	4x54W	1222	1245	600	640	78	87

Wood Ceiling / Slot Diffuser (3 TUBE)


Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm
QUSPWN2SOP314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN2SCA314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN2SAP314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN2SPP314	QUSP314	3x14W	615	635	600	640	78	87
QUSPWN4SOP328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4SCA328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4SAP328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4SPP328	QUSP328	3x28W	1222	1245	600	640	78	87
QUSPWN4SOP354	QUSP354	3x54W	1222	1245	600	640	78	87
QUSPWN4SCA354	QUSP354	3x54W	1222	1245	600	640	78	87
QUSPWN4SAP354	QUSP354	3x54W	1222	1245	600	640	78	87
QUSPWN4SPP354	QUSP354	3x54W	1222	1245	600	640	78	87

Wood Ceiling / Slot Diffuser (4 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm	H1 mm
QUSPWN2SOP414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN2SCA414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN2SAP414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN2SPP414	QUSP414	4x14W	615	635	600	640	78	87
QUSPWN4SOP428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4SCA428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4SAP428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4SPP428	QUSP428	4x28W	1222	1245	600	640	78	87
QUSPWN4SOP454	QUSP454	4x54W	1222	1245	600	640	78	87
QUSPWN4SCA454	QUSP454	4x54W	1222	1245	600	640	78	87
QUSPWN4SAP454	QUSP454	4x54W	1222	1245	600	640	78	87
QUSPWN4SPP454	QUSP454	4x54W	1222	1245	600	640	78	87

DIMENSIONS

(Wood Ceiling)



ORDERING INFORMATION

Lead times will vary based on options selected. Consult with your sales representative.

Example: QUSPWN2HOP214

Type	Installation Type	Size	Design	Diffuser Mech	Diffuser Type
Quinness (QUSP)	W Wood Ceiling	I Imperial	S2 Slim (1' x 2')	H Hinged	OP Opal
	T T-Bar	M Metric	S4 Slim (1' x 4')	S Slot	CA Clear Acrylic
			N2 Normal (2' x 2')		AP AA Prismatic
	S Surface		N4 Normal (2' x 4')		PP PS Prismatic

Specifications and dimension subject to change without notice

DIMENSION OF FITTING

T-Bar / Imperial / Hinged Diffuser (1 / 2 TUBE)


Product Code	Model Code	Watt	L mm	L1 mm	W mm	H mm
QUSPTIS2HOP114	QUSP114	1x14W	612	600	298	90
QUSPTIS2HCA114	QUSP114	1x14W	612	600	298	90
QUSPTIS2HAP114	QUSP114	1x14W	612	600	298	90
QUSPTIS2HPP114	QUSP114	1x14W	612	600	298	90
QUSPTIS4HOP128	QUSP128	1x28W	1222	1210	298	90
QUSPTIS4HCA128	QUSP128	1x28W	1222	1210	298	90
QUSPTIS4HAP128	QUSP128	1x28W	1222	1210	298	90
QUSPTIS4HPP128	QUSP128	1x28W	1222	1210	298	90
QUSPTIS2HOP214	QUSP214	2x14W	612	600	298	90
QUSPTIS2HCA214	QUSP214	2x14W	612	600	298	90
QUSPTIS2HAP214	QUSP214	2x14W	612	600	298	90
QUSPTIS2HPP214	QUSP214	2x14W	612	600	298	90
QUSPTIS4HOP228	QUSP228	2x28W	1222	1210	298	90
QUSPTIS4HCA228	QUSP228	2x28W	1222	1210	298	90
QUSPTIS4HAP228	QUSP228	2x28W	1222	1210	298	90
QUSPTIS4HPP228	QUSP228	2x28W	1222	1210	298	90
QUSPTIS4HOP254	QUSP254	2x54W	1222	1210	298	90
QUSPTIS4HCA254	QUSP254	2x54W	1222	1210	298	90
QUSPTIS4HAP254	QUSP254	2x54W	1222	1210	298	90
QUSPTIS4HPP254	QUSP254	2x54W	1222	1210	298	90
QUSPTIN2HOP214	QUSP214	2x14W	612	600	605	90
QUSPTIN2HCA214	QUSP214	2x14W	612	600	605	90
QUSPTIN2HAP214	QUSP214	2x14W	612	600	605	90
QUSPTIN2HPP214	QUSP214	2x14W	612	600	605	90
QUSPTIN4HOP228	QUSP228	2x28W	1222	1210	605	90
QUSPTIN4HCA228	QUSP228	2x28W	1222	1210	605	90
QUSPTIN4HAP228	QUSP228	2x28W	1222	1210	605	90
QUSPTIN4HPP228	QUSP228	2x28W	1222	1210	605	90
QUSPTIN4HOP254	QUSP254	2x54W	1222	1210	605	90
QUSPTIN4HCA254	QUSP254	2x54W	1222	1210	605	90
QUSPTIN4HAP254	QUSP254	2x54W	1222	1210	605	90
QUSPTIN4HPP254	QUSP254	2x54W	1222	1210	605	90

T-Bar / Metric / Slot Diffuser (1 / 2 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	H mm
QUSPTMS2HOP114	QUSP114	1x14W	612	585	295	85
QUSPTMS2HCA114	QUSP114	1x14W	612	585	295	85
QUSPTMS2HAP114	QUSP114	1x14W	612	585	295	85
QUSPTMS2HPP114	QUSP114	1x14W	612	585	295	85
QUSPTMS4HOP128	QUSP128	1x28W	1222	1195	295	85
QUSPTMS4HCA128	QUSP128	1x28W	1222	1195	295	85
QUSPTMS4HAP128	QUSP128	1x28W	1222	1195	295	85
QUSPTMS4HPP128	QUSP128	1x28W	1222	1195	295	85
QUSPTMS2SOP214	QUSP214	2x14W	612	585	295	85
QUSPTMS2SCA214	QUSP214	2x14W	612	585	295	85
QUSPTMS2SAP214	QUSP214	2x14W	612	585	295	85
QUSPTMS2SPP214	QUSP214	2x14W	612	585	295	85
QUSPTMS4SOP228	QUSP228	2x28W	1222	1195	295	85
QUSPTMS4SCA228	QUSP228	2x28W	1222	1195	295	85
QUSPTMS4SAP228	QUSP228	2x28W	1222	1195	295	85
QUSPTMS4SPP228	QUSP228	2x28W	1222	1195	295	85
QUSPTMS4SOP254	QUSP254	2x54W	1222	1195	295	85
QUSPTMS4SCA254	QUSP254	2x54W	1222	1195	295	85
QUSPTMS4SAP254	QUSP254	2x54W	1222	1195	295	85
QUSPTMS4SPP254	QUSP254	2x54W	1222	1195	295	85
QUSPTMN2SOP214	QUSP214	2x14W	612	585	595	85
QUSPTMN2SCA214	QUSP214	2x14W	612	585	595	85
QUSPTMN2SAP214	QUSP214	2x14W	612	585	595	85
QUSPTMN2SPP214	QUSP214	2x14W	612	585	595	85
QUSPTMN4SOP228	QUSP228	2x28W	1222	1195	595	85
QUSPTMN4SCA228	QUSP228	2x28W	1222	1195	595	85
QUSPTMN4SAP228	QUSP228	2x28W	1222	1195	595	85
QUSPTMN4SPP228	QUSP228	2x28W	1222	1195	595	85
QUSPTMN4SOP254	QUSP254	2x54W	1222	1195	595	85
QUSPTMN4SCA254	QUSP254	2x54W	1222	1195	595	85
QUSPTMN4SAP254	QUSP254	2x54W	1222	1195	595	85
QUSPTMN4SPP254	QUSP254	2x54W	1222	1195	595	85

DIMENSIONS

(T-Bar)



ORDERING INFORMATION Lead times will vary based on options selected. Consult with your sales representative.
Example: QUSPTMN2HOP214

Type	Installation Type	Size	Design	Diffuser Mech	Diffuser Type
QuinCESS (QUSP)	W Wood Ceiling	I Imperial	S2 Slim (1' x 2')	H Hinged	OP Opal
	T T-Bar	S4 Slim (1' x 4')	N2 Normal (2' x 2')	S Slot	CA Clear Acrylic
	S Surface	M Metric	N4 Normal (2' x 4')		AP AA Prismatic
					PP PS Prismatic



DIMENSION OF FITTING

T-Bar / Imperial / Hinged Diffuser (3 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	H mm
QUSPTIN2HOP314	QUSP314	3x14W	612	600	605	90
QUSPTIN2HCA314	QUSP314	3x14W	612	600	605	90
QUSPTIN2HAP314	QUSP314	3x14W	612	600	605	90
QUSPTIN2HPP314	QUSP314	3x14W	612	600	605	90
QUSPTIN4HOP328	QUSP328	3x28W	1222	1210	605	90
QUSPTIN4HCA328	QUSP328	3x28W	1222	1201	605	90
QUSPTIN4HAP328	QUSP328	3x28W	1222	1210	605	90
QUSPTIN4HPP328	QUSP328	3x28W	1222	1210	605	90
QUSPTIN4HOP354	QUSP354	3x54W	1222	1210	605	90
QUSPTIN4HCA354	QUSP354	3x54W	1222	1210	605	90
QUSPTIN4HAP354	QUSP354	3x54W	1222	1210	605	90
QUSPTIN4HPP354	QUSP354	3x54W	1222	1210	605	90

T-Bar / Imperial / Hinged Diffuser (4 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	H mm
QUSPTIN2HOP414	QUSP414	4x14W	612	600	605	90
QUSPTIN2HCA414	QUSP414	4x14W	612	600	605	90
QUSPTIN2HAP414	QUSP414	4x14W	612	600	605	90
QUSPTIN2HPP414	QUSP414	4x14W	612	600	605	90
QUSPTIN4HOP428	QUSP428	4x28W	1222	1210	605	90
QUSPTIN4HCA428	QUSP428	4x28W	1222	1210	605	90
QUSPTIN4HAP428	QUSP428	4x28W	1222	1210	605	90
QUSPTIN4HPP428	QUSP428	4x28W	1222	1210	605	90
QUSPTIN4HOP454	QUSP454	4x54W	1222	1210	605	90
QUSPTIN4HCA454	QUSP454	4x54W	1222	1210	605	90
QUSPTIN4HAP454	QUSP454	4x54W	1222	1210	605	90
QUSPTIN4HPP454	QUSP454	4x54W	1222	1210	605	90

T-Bar / Metric / Slot Diffuser (3 TUBE)


Product Code	Model Code	Watt	L mm	L1 mm	W mm	H mm
QUSPTMN2SOP314	QUSP314	3x14W	612	585	595	85
QUSPTMN2SCA314	QUSP314	3x14W	612	585	595	85
QUSPTMN2SAP314	QUSP314	3x14W	612	585	595	85
QUSPTMN2SPP314	QUSP314	3x14W	612	585	595	85
QUSPTMN4SOP328	QUSP328	3x28W	1222	1195	595	85
QUSPTMN4SCA328	QUSP328	3x28W	1222	1195	595	85
QUSPTMN4SAP328	QUSP328	3x28W	1222	1195	595	85
QUSPTMN4SPP328	QUSP328	3x28W	1222	1195	595	85
QUSPTMN4SOP354	QUSP354	3x54W	1222	1195	595	85
QUSPTMN4SCA354	QUSP354	3x54W	1222	1195	595	85
QUSPTMN4SAP354	QUSP354	3x54W	1222	1195	595	85
QUSPTMN4SPP354	QUSP354	3x54W	1222	1195	595	85

T-Bar / Metric / Slot Diffuser (4 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	H mm
QUSPTMN2SOP414	QUSP414	4x14W	612	585	595	85
QUSPTMN2SCA414	QUSP414	4x14W	612	585	595	85
QUSPTMN2SAP414	QUSP414	4x14W	612	585	595	85
QUSPTMN2SPP414	QUSP414	4x14W	612	585	595	85
QUSPTMN4SOP428	QUSP428	4x28W	1222	1195	595	85
QUSPTMN4SCA428	QUSP428	4x28W	1222	1195	595	85
QUSPTMN4SAP428	QUSP428	4x28W	1222	1195	595	85
QUSPTMN4SPP428	QUSP428	4x28W	1222	1195	595	85
QUSPTMN4SOP454	QUSP454	4x54W	1222	1195	595	85
QUSPTMN4SCA454	QUSP454	4x54W	1222	1195	595	85
QUSPTMN4SAP454	QUSP454	4x54W	1222	1195	595	85
QUSPTMN4SPP454	QUSP454	4x54W	1222	1195	595	85

DIMENSIONS

(T-Bar)



ORDERING INFORMATION

Lead times will vary based on options selected. Consult with your sales representative.

Example: QUSPTIN2HOP214

Type	Installation Type	Size	Design	Diffuser Mech	Diffuser Type
Quininess (QUSP)	W Wood Ceiling	I Imperial	S2 Slim (1' x 2')	H Hinged	OP Opal
	T T-Bar	M Metric	S4 Slim (1' x 4')	S Slot	CA Clear Acrylic
	S Surface		N2 Normal (2' x 2')		AP AA Prismatic
			N4 Normal (2' x 4')		PP PS Prismatic

DIMENSION OF FITTING

Surface / Hinged Diffuser (1 / 2 TUBE)


Product Code	Model Code	Watt	L mm	W mm	H mm
QUSPSS2HOP114	QUSP114	1x14W	612	298	85
QUSPSS2HCA114	QUSP114	1x14W	612	298	85
QUSPSS2HAP114	QUSP114	1x14W	612	298	85
QUSPSS2HPP114	QUSP114	1x14W	612	298	85
QUSPSS4HOP128	QUSP128	1x28W	1222	298	85
QUSPSS4HCA128	QUSP128	1x28W	1222	298	85
QUSPSS4HAP128	QUSP128	1x28W	1222	298	85
QUSPSS4HPP128	QUSP128	1x28W	1222	298	85
QUSPSS2HOP214	QUSP214	2x14W	612	298	85
QUSPSS2HCA214	QUSP214	2x14W	612	298	85
QUSPSS2HAP214	QUSP214	2x14W	612	298	85
QUSPSS2HPP214	QUSP214	2x14W	612	298	85
QUSPSS4HOP228	QUSP228	2x28W	1222	298	85
QUSPSS4HCA228	QUSP228	2x28W	1222	298	85
QUSPSS4HAP228	QUSP228	2x28W	1222	298	85
QUSPSS4HPP228	QUSP228	2x28W	1222	298	85
QUSPSS4HOP254	QUSP254	2x54W	1222	298	85
QUSPSS4HCA254	QUSP254	2x54W	1222	298	85
QUSPSS4HAP254	QUSP254	2x54W	1222	298	85
QUSPSS4HPP254	QUSP254	2x54W	1222	298	85
QUSPSN2HOP214	QUSP214	2x14W	612	603	85
QUSPSN2HCA214	QUSP214	2x14W	612	603	85
QUSPSN2HAP214	QUSP214	2x14W	612	603	85
QUSPSN2HPP214	QUSP214	2x14W	612	603	85
QUSPSN4HOP228	QUSP228	2x28W	1222	603	85
QUSPSN4HCA228	QUSP228	2x28W	1222	603	85
QUSPSN4HAP228	QUSP228	2x28W	1222	603	85
QUSPSN4HPP228	QUSP228	2x28W	1222	603	85
QUSPSN4HOP254	QUSP254	2x54W	1222	603	85
QUSPSN4HCA254	QUSP254	2x54W	1222	603	85
QUSPSN4HAP254	QUSP254	2x54W	1222	603	85
QUSPSN4HPP254	QUSP254	2x54W	1222	603	85

Surface / Slot Diffuser (1 / 2 TUBE)

Product Code	Model Code	Watt	L mm	W mm	H mm
QUSPSS2SOP114	QUSP114	1x14W	612	298	85
QUSPSS2SCA114	QUSP114	1x14W	612	298	85
QUSPSS2SAP114	QUSP114	1x14W	612	298	85
QUSPSS2SPP114	QUSP114	1x14W	612	298	85
QUSPSS4SOP128	QUSP128	1x28W	1222	298	85
QUSPSS4SCA128	QUSP128	1x28W	1222	298	85
QUSPSS4SAP128	QUSP128	1x28W	1222	298	85
QUSPSS4SPP128	QUSP128	1x28W	1222	298	85
QUSPSS2SOP214	QUSP214	2x14W	612	298	85
QUSPSS2SCA214	QUSP214	2x14W	612	298	85
QUSPSS2SAP214	QUSP214	2x14W	612	298	85
QUSPSS2SPP214	QUSP214	2x14W	612	298	85
QUSPSS4SOP228	QUSP228	2x28W	1222	298	85
QUSPSS4SCA228	QUSP228	2x28W	1222	298	85
QUSPSS4SAP228	QUSP228	2x28W	1222	298	85
QUSPSS4SPP228	QUSP228	2x28W	1222	298	85
QUSPSS4SOP254	QUSP254	2x54W	1222	298	85
QUSPSS4SCA254	QUSP254	2x54W	1222	298	85
QUSPSS4SAP254	QUSP254	2x54W	1222	298	85
QUSPSS4SPP254	QUSP254	2x54W	1222	298	85
QUSPSN2SOP214	QUSP214	2x14W	612	603	85
QUSPSN2SCA214	QUSP214	2x14W	612	603	85
QUSPSN2SAP214	QUSP214	2x14W	612	603	85
QUSPSN2SPP214	QUSP214	2x14W	612	603	85
QUSPSN4SOP228	QUSP228	2x28W	1222	603	85
QUSPSN4SCA228	QUSP228	2x28W	1222	603	85
QUSPSN4SAP228	QUSP228	2x28W	1222	603	85
QUSPSN4SPP228	QUSP228	2x28W	1222	603	85
QUSPSN4HOP254	QUSP254	2x54W	1222	603	85
QUSPSN4SCA254	QUSP254	2x54W	1222	603	85
QUSPSN4SAP254	QUSP254	2x54W	1222	603	85
QUSPSN4SPP254	QUSP254	2x54W	1222	603	85

DIMENSIONS

(Surface)



ORDERING INFORMATION

Lead times will vary based on options selected. Consult with your sales representative.

Example: QUSPWN2HOP214

Type	Installation Type	Size	Design	Diffuser Mech	Diffuser Type
QuinCESS (QUSP)	W Wood Ceiling	I Imperial	S2 Slim (1' x 2')	H Hinged	OP Opal
	T T-Bar	M Metric	S4 Slim (1' x 4')	S Slot	CA Clear Acrylic
	S Surface		N2 Normal (2' x 2')		AP AA Prismatic
			N4 Normal (2' x 4')		PP PS Prismatic



DIMENSION OF FITTING

Surface / Hinged Diffuser (3 TUBE)

Product Code	Model Code	Watt	L mm	W mm	H mm
QUSPSN2HOP314	QUSP314	3x14W	612	603	85
QUSPSN2HCA314	QUSP314	3x14W	612	603	85
QUSPSN2HAP314	QUSP314	3x14W	612	603	85
QUSPSN2HPP314	QUSP314	3x14W	612	603	85
QUSPSN4HOP328	QUSP328	3x28W	1222	603	85
QUSPSN4HCA328	QUSP328	3x28W	1222	603	85
QUSPSN4HAP328	QUSP328	3x28W	1222	603	85
QUSPSN4HPP328	QUSP328	3x28W	1222	603	85
QUSPSN4HOP354	QUSP354	3x54W	1222	603	85
QUSPSN4HCA354	QUSP354	3x54W	1222	603	85
QUSPSN4HAP354	QUSP354	3x54W	1222	603	85
QUSPSN4HPP354	QUSP354	3x54W	1222	603	85

Surface / Hinged Diffuser (4 TUBE)

Product Code	Model Code	Watt	L mm	W mm	H mm
QUSPSN2HOP414	QUSP414	4x14W	612	603	85
QUSPSN2HCA414	QUSP414	4x14W	612	603	85
QUSPSN2HAP414	QUSP414	4x14W	612	603	85
QUSPSN2HPP414	QUSP414	4x14W	612	603	85
QUSPSN4HOP428	QUSP428	4x28W	1222	603	85
QUSPSN4HCA428	QUSP428	4x28W	1222	603	85
QUSPSN4HAP428	QUSP428	4x28W	1222	603	85
QUSPSN4HPP428	QUSP428	4x28W	1222	603	85
QUSPSN4HOP454	QUSP454	4x54W	1222	603	85
QUSPSN4HCA454	QUSP454	4x54W	1222	603	85
QUSPSN4HAP454	QUSP454	4x54W	1222	603	85
QUSPSN4HPP454	QUSP454	4x54W	1222	603	85

Surface / Slot Diffuser (3 TUBE)


Product Code	Model Code	Watt	L mm	W mm	H mm
QUSPSN2SOP314	QUSP314	3x14W	612	603	85
QUSPSN2SCA314	QUSP314	3x14W	612	603	85
QUSPSN2SAP314	QUSP314	3x14W	612	603	85
QUSPSN2SPP314	QUSP314	3x14W	612	603	85
QUSPSN4SOP328	QUSP328	3x28W	1222	603	85
QUSPSN4SCA328	QUSP328	3x28W	1222	603	85
QUSPSN4SAP328	QUSP328	3x28W	1222	603	85
QUSPSN4SPP328	QUSP328	3x28W	1222	603	85
QUSPSN4SOP354	QUSP354	3x54W	1222	603	85
QUSPSN4SCA354	QUSP354	3x54W	1222	603	85
QUSPSN4SAP354	QUSP354	3x54W	1222	603	85
QUSPSN4SPP354	QUSP354	3x54W	1222	603	85

Surface / Slot Diffuser (4 TUBE)

Product Code	Model Code	Watt	L mm	W mm	H mm
QUSPSN2SOP414	QUSP414	4x14W	612	603	85
QUSPSN2SCA414	QUSP414	4x14W	612	603	85
QUSPSN2SAP414	QUSP414	4x14W	612	603	85
QUSPSN2SPP414	QUSP414	4x14W	612	603	85
QUSPSN4SOP428	QUSP428	4x28W	1222	603	85
QUSPSN4SCA428	QUSP428	4x28W	1222	603	85
QUSPSN4SAP428	QUSP428	4x28W	1222	603	85
QUSPSN4SPP428	QUSP428	4x28W	1222	603	85
QUSPSN4SOP454	QUSP454	4x54W	1222	603	85
QUSPSN4SCA454	QUSP454	4x54W	1222	603	85
QUSPSN4SAP454	QUSP454	4x54W	1222	603	85
QUSPSN4SPP454	QUSP454	4x54W	1222	603	85

DIMENSIONS

(Surface)



ORDERING INFORMATION Lead times will vary based on options selected. Consult with your sales representative.
Example: QUSPWN2HOP214

Type	Installation Type	Size	Design	Diffuser Mech	Diffuser Type
Quinness (QUSP)	W Wood Ceiling T T-Bar S Surface	I Imperial M Metric	S2 Slim (1' x 2') S4 Slim (1' x 4') N2 Normal (2' x 2') N4 Normal (2' x 4')	H Hinged S Slot	OP Opal CA Clear Acrylic AP AA Prismatic PP PS Prismatic