






White Perforated Cover (WPC)



DIMENSIONS



LINE DRAWING



INTENDED USE

WPC series provides an economical energy saving 2 tubes, 3 tubes and 4 tubes T5 or T5 high output top mirror recess fixtures. Ideal for retail, educational and commercial applications requiring lighting load as low as 2 watts, 3 watts or 4 watts/square meter/100 lux. 2'x4', 2'x2', 1'x4' and 1'x2' Imperial and Metric sizes available to meet most general illumination layouts.

CONSTRUCTION AND OPTICS

Housing formed of high quality gauge sheet steel. Going through five-stage iron-phosphate resistance. Housing painted after fabrication with environmental friendly, high-gloss, very high reflectivity epoxy powder-coat. High reflectivity mirror reflector achieved with anodized aluminium efficiently directs light downward while those cross blade louvers which are held in place with interlocking feature maximizes shielding to soften light distribution to deliver a balance amount of light to both vertical and horizontal surfaces.

DIMENSION OF FITTING

Metric / Wood Ceiling (2 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10MS2AM214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10MS2FM214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10MS2AT214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10MS2FT214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC22MS4AM228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22MS4FM228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22MS4AT228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22MS4FT228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22MS4AM254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22MS4FM254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22MS4AT254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22MS4FT254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC10MN2AM214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10MN2FM214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10MN2AT214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10MN2FT214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC22MN4AM228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22MN4FM228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22MN4AT228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22MN4FT228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22MN4AM254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22MN4FM254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22MN4AT254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22MN4FT254	ESIWPC254	2x54W	1195	1173	595	573	50




DIMENSION OF FITTING

Surface (2 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10SS2AM214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10SS2FM214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10SS2AT214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10SS2FT214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC22SS4AM228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22SS4FM228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22SS4AT228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22SS4FT228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22SS4AM254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22SS4FM254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22SS4AT254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22SS4FT254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC10SN2AM214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10SN2FM214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10SN2AT214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10SN2FT214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC22SN4AM228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22SN4FM228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22SN4AT228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22SN4FT228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22SN4AM254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22SN4FM254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22SN4AT254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22SN4FT254	ESIWPC254	2x54W	1195	1173	595	573	50

Imperial (2 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10IS2AM214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10IS2FM214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10IS2AT214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC10IS2FT214	ESIWPC214	2x14W	595	573	295	265	50
ESIWPC22IS4AM228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22IS4FM228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22IS4AT228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22IS4FT228	ESIWPC228	2x28W	1195	1173	295	265	50
ESIWPC22IS4AM254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22IS4FM254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22IS4AT254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC22IS4FT254	ESIWPC254	2x54W	1195	1173	295	265	50
ESIWPC10IN2AM214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10IN2FM214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10IN2AT214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC10IN2FT214	ESIWPC214	2x14W	595	573	595	573	50
ESIWPC22IN4AM228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22IN4FM228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22IN4AT228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22IN4FT228	ESIWPC228	2x28W	1195	1173	595	573	50
ESIWPC22IN4AM254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22IN4FM254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22IN4AT254	ESIWPC254	2x54W	1195	1173	595	573	50
ESIWPC22IN4FT254	ESIWPC254	2x54W	1195	1173	595	573	50



ORDERING INFORMATION Lead times will vary based on options selected. Consult with your sales representative. Example: ESIWPC10MS2AM214

Type	Louver	Installation Type	Design	Reflector	Tubes
Estilo WPC (ESIWPC)	10 10 Louver	M MM/WC	S2 Slim (1' x 2')	AM Aluminium Mirror	1 1 Tubes
		S Surface	S4 Slim (1' x 4')	FM Full Mirror	2 2 Tubes
	22 22 Louver	I Imperial	N2 Normal (2' x 2')	AT Aluminium Matt	3 3 Tubes
			N4 Normal (2' x 4')	FT Full Matt	4 4 Tubes

Specifications and dimension subject to change without notice

DIMENSION OF FITTING

Metric / Wood Ceiling (3 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10MN2AM314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10MN2FM314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10MN2AT314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10MN2FT314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC22MN4AM328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22MN4FM328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22MN4AT328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22MN4FT328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22MN4AM354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22MN4FM354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22MN4AT354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22MN4FT354	ESIWPC354	3x54W	1195	1173	595	573	50

Imperial (3 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10IN2AM314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10IN2FM314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10IN2AT314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10IN2FT314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC22IN4AM328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22IN4FM328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22IN4AT328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22IN4FT328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22IN4AM354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22IN4FM354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22IN4AT354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22IN4FT354	ESIWPC354	3x54W	1195	1173	595	573	50

Surface (3 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10SN2AM314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10SN2FM314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10SN2AT314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC10SN2FT314	ESIWPC314	3x14W	595	573	595	573	50
ESIWPC22SN4AM328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22SN4FM328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22SN4AT328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22SN4FT328	ESIWPC328	3x28W	1195	1173	595	573	50
ESIWPC22SN4AM354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22SN4FM354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22SN4AT354	ESIWPC354	3x54W	1195	1173	595	573	50
ESIWPC22SN4FT354	ESIWPC354	3x54W	1195	1173	595	573	50

Metric / Wood Ceiling (4 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10MN2AM414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10MN2FM414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10MN2AT414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10MN2FT414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC22MN4AM428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22MN4FM428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22MN4AT428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22MN4FT428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22MN4AM454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22MN4FM454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22MN4AT454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22MN4FT454	ESIWPC454	4x54W	1195	1173	595	573	50

Imperial (4 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10IN2AM414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10IN2FM414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10IN2AT414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10IN2FT414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC22IN4AM428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22IN4FM428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22IN4AT428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22IN4FT428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22IN4AM454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22IN4FM454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22IN4AT454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22IN4FT454	ESIWPC454	4x54W	1195	1173	595	573	50

Surface (4 TUBE)

Product Code	Model Code	Watt	L mm	L1 mm	W mm	W1 mm	H mm
ESIWPC10SN2AM414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10SN2FM414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10SN2AT414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC10SN2FT414	ESIWPC414	4x14W	595	573	595	573	50
ESIWPC22SN4AM428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22SN4FM428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22SN4AT428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22SN4FT428	ESIWPC428	4x28W	1195	1173	595	573	50
ESIWPC22SN4AM454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22SN4FM454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22SN4AT454	ESIWPC454	4x54W	1195	1173	595	573	50
ESIWPC22SN4FT454	ESIWPC454	4x54W	1195	1173	595	573	50

ORDERING INFORMATION

Lead times will vary based on options selected. Consult with your sales representative.

Example: ESIWPC10MS2AM214

Type	Louver	Installation Type	Design	Reflector	Tubes
Estilo WPC (ESIWPC)	10 10 Louver	M MM/WC	S2 Slim (1' x 2')	AM Aluminium Mirror	1 1 Tubes
		S Surface	S4 Slim (1' x 4')	FM Full Mirror	2 2 Tubes
	22 22 Louver	I Imperial	N2 Normal (2' x 2')	AT Aluminium Matt	3 3 Tubes
			N4 Normal (2' x 4')	FT Full Matt	4 4 Tubes